



Safety Data Sheet

Ethyl Ether, ACS

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ethyl Ether, ACS (contains 2% Ethanol as a Perservative)

Synonyms/Generic Names: Ether, Ethyl Ether, Ethyl Oxide, Diethyl Oxide

Product Number: CP-B7233, CP-C7233

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: ChemPure Brand Chemicals
39103 Warren Road
Westland, MI 48185

For More Information Call: 734-729-1805 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Target Organ Effect, Irritant, Harmful by ingestion

Target Organs: Central nervous system, Kidney, Liver, Gastrointestinal tract, Skeletal muscle

Signal Words: Danger

Pictograms:



GHS Classification:

Flammable liquids	Category 1
Skin irritation	Category 3
Eye irritation	Category 2A
Specific target organ toxicity-single exposure	Category 3
Acute toxicity, Oral	Category 4
Acute toxicity, Inhalation	Category 5

GHS Label Elements, including precautionary statements:

Hazard Statements:

H224	Extremely flammable liquid and vapor
H302	Harmful if swallowed
H316	Causes mild skin irritation
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H336	May cause drowsiness or dizziness

Precautionary Statements:

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Potential Health Effects

Eyes	Causes eye irritation
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Ingestion	Harmful if swallowed

NFPA Ratings

Health	2
Flammability	4
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	2
Fire	4
Reactivity	0
Personal	H

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Diethyl Ether	97.9-99.9	60-29-7	200-467-2	C ₄ H ₁₀ O	74.12 g/mol
Ethanol	2	64-17-5	200-578-6	C ₂ H ₆ O	46.07 g/mol

4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable liquid. For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams or water may be ineffective. Cool all affected containers with flooding quantities of water.
Special protective equipment and precautions for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots
Specific hazards arising from the chemical	Emits toxic fumes (carbon oxides) under fire conditions. (See also Stability and Reactivity section). Vapors can travel to a source of ignition and flash back. Containers may explode in a fire. Cool containers from a distance using water spray. SENSITIVE TO STATIC DISCHARGE.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Absorb spill with vermiculite or other inert absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Use with adequate ventilation and grounding. Wash thoroughly after using. Keep container closed when not in use. Keep away from sources of ignition. No smoking.

Conditions for safe storage, including any incompatibilities

Store in tightly closed, original containers in a cool, dry, well ventilated area. Store between 55-80°F for product stability. Do not store with strong oxidizing agents. Avoid sunlight

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity
Diethyl Ether	400 ppm 1210 mg/m ³	TLV	ACGIH
	500 ppm 1520 mg/m ³	STEL	ACGIH
	400 ppm 1200 mg/m ³	PEL	OSHA

	1900 ppm	IDLH	OSHA
Ethyl Alcohol	1000 ppm 1900 mg/m ³	REL	NIOSH
	1000 ppm 1900 mg/m ³	PEL	OSHA
	1000 ppm 1880 mg/m ³	STEL	ACGIH
	3300 ppm	IDLH	OSHA
BHT	10 mg/m ³	PEL	OSHA
	2 mg/m ³	TLV	ACGIH
	10 mg/m ³	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, flame retardant antistatic clothing.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Mild alcohol
Odor threshold	8.9 ppm
pH	Not Available
Melting point/freezing point	-116°C (177°F)
Initial boiling point and boiling range	35°C (94°F)
Flash point	-45°C (-49°F) (Closed Cup)
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	39%-1.9%
Vapor pressure	440 mmHg at 20°C
Vapor density	2.6
Relative density	Not Available
Solubility (ies)	69 g/L
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	160°C (320°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Not stable. Prolonged exposure to sunlight and air may form unstable peroxides. Peroxide formation may occur in ether containers that have been opened and remain in storage for more than 6 months. Peroxides can be detonated by friction, impact, or heating.
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Keep away from heat, flame and sparks.
Incompatible Materials	Oxidizers and strong acids.
Hazardous Decomposition Products	Carbon oxides, peroxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Diethyl Ether

Skin	Skin – rabbit – 14.2 g/kg
Eyes	Not Available
Respiratory	LC50 Inhalation – mouse – 30 min – 31000 ppm
Ingestion	LD50 Oral – rat – 1215 mg/kg

Ethanol

Skin	Skin – rabbit – Irritating to skin – 48 hours
Eyes	Not Available
Respiratory	LC50 Inhalation – rat – 10 hours – 20000 ppm
Ingestion	LD50 Oral – rat – 7060 mg/kg

BHT

Skin	Skin – rabbit – Irritating to skin – 24 hours
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral – rat – 890 mg/kg

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans. (Ethyl Alcohol)
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Eyes	Causes eye irritation
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Ingestion	Harmful if swallowed

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	LC50 – Pimephales promelas (fathead minnow) – 2560 mg/l – 96 hours
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Absorb on non-combustible material and hold for disposal through a licensed contractor. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies before discharging or disposing of waste material.
Product Containers	Empty containers will retain residues which may be flammable. Do not cut, weld or expose to heat or flames. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies before discharging or disposing of waste material.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1155, Diethyl ether, 3, pg I
TDG	UN1155, DIETHYL ETHER, 3, pg I
IMDG	UN1155, DIETHYL ETHER, 3, pg I
Marine Pollutant	No
IATA/ICAO	UN1155, Diethyl ether, 3, pg I

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Diethyl Ether
SARA 312	Diethyl Ether
SARA 313	Listed: Diethyl Ether
WHMIS Canada	Class B-1: Flammable liquid

16. OTHER INFORMATION

Revision	Date
Revision 1	08-07-2014

Disclaimer: ChemPure Brand Chemicals ("CemPure") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because ChemPure has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. CHEMPURE MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.